

SOLUTIONS FOR CORRUGATED STRAP + EQUIPMENT

Moving corrugated sheets and pre-made boxes across supply chains from manufacturing to distribution centers, retail, and other end user destinations is challenging. Unitizing and securing loads with the right strap and equipment is essential to products arriving intact and damage free.

That's where Greenbridge comes in. We supply the high-performance polyester and polypropylene strap and a full range of bundling and unitizing equipment that secures your product along every step of the supply chain.



PET strapping for your unitizer machines and polypropylene strapping for your bundler machines.

There Are Plenty of Reasons to Use Greenbridge Strap to Secure Your Corrugated Products

- Improved retained tension so bundles stay tight longer
- Split and impact + resistant throughout distribution
- Non-corrosive
- Reduces packaging costs per foot
- Increases efficiency, up-time + life of parts

WHY GREENBRIDGE?



Greenbridge strapping is guaranteed to perform on our Greenbridge OMS equipment as well as other industry standard equipment including Signode, Mosca and Samuel.

Try our strapping with the confidence of our worry-free performance guarantee — if the product does not perform to your satisfaction, we will take it back.



SECURING YOUR BUSINESS IS OUR PRIORITY

INTRODUCING GB+

When Greenbridge supplies and services the strapping side of your business you can focus on fueling the growth of your business.

With GB+ on your side, your Capex funds no longer need to go to tools and equipment. You prioritize your dollars on product development, sales, marketing, manufacturing, and innovation.

Greenbridge's GB+ program can be customized to solve for your equipment challenges, maintenance demands, consumables constraints, and sustainability objectives.



GREAT BENEFITS WHEN YOU ACCESS GB+

-  Keep your Capex dollars for business growth initiatives
-  Gain access to the best strapping equipment and tools in the industry
-  Reduce the bottlenecks caused by PP and PET strapping and accessories availability
-  Priority maintenance delivered by Greenbridge technicians keeps your equipment up and running
-  Expedited onsite service calls reduce your down time
-  Reduce your dependence on landfills, increase reuse and recycling, meet and exceed sustainability goals
-  Customize the program to focus on what matters most to your organization

WE HAVE A BETTER ALTERNATIVE

As an industry leader in end of line packaging solutions let us secure your business and maintain your equipment.



ABOUT GREENBRIDGE

Founded in 1974 as Polychem, we rebranded in April 2021 as Greenbridge to reflect our commitment to providing proactive solutions to customers across North America seeking to achieve more sustainable, high-performing operations. Our early reputation was based on our quality polyester, polypropylene and cord strapping. Today, years of growth and strategic acquisitions have made Greenbridge a leading end-of-line packaging supplier, with integrated solutions that encompass tools, equipment, systems, and services that help tame the most challenging supply chains. *Greenbridge is committed to the safety of our team, the quality of our products and services, investing in continuous improvement, advancing the circular economy, and fostering sustainable customer success.*

1/23

CB7000 AUTOMATIC BUNDLER

- Full width pneumatic press
- Compact, direct drive strapping head
- Free access to strap guides
- Fully automatic with variable speed conveyor
- Full-color touch screen
- Siemens PLC control
- Full width pneumatic press
- Patented jammed-strap ejection device
- Adjustable table height from 27.5" to 39"
- Option 1: Adjustable back stops
- Option 2: Uplift support for heights > 39"

SUPER FAST!
Up To 33 Bundles Per Minute



SPECIFICATIONS

Arch Sizes	65" (W) x 17" (H) 49" (W) x 17" (H)	Minimum Bundle Size	11" (L) x 8" (W) x 3/3" (H)
Cycle Rate	Up to 33 bundles per minute (single strap) Up to 20 bundles per minute (double strap)	Bundle Weight	Max 88 lbs.
Strap Width	5mm, 6mm, 9mm polypropylene strap	Transport Speed	49 to 196 feet per minute
Strap Tension	2 to 70 lbs.	Electrical Requirements	220V, 380V, 400V 50/60Hz 3 Phase

CB7000SQ AUTOMATIC SQUARED BUNDLER

- All electric press, no pneumatic
- Compact, direct drive strapping head
- Free access to strap guides
- Three-side squaring bundle control
- Automatic bundle size set-up system – good for small bundles!
- Motorized full-width press bar
- Single, double, continuous strapping or transit mode
- Fully automatic with variable speed conveyor
- Siemens PLC control
- Option 1: Dual dispensers with auto coil change
- Option 2: Uplift support for heights > 39"

SUPER FAST!
Up To 24 Bundles Per Minute



SPECIFICATIONS

Arch Sizes	65" (W) x 17" (H) 49" (W) x 17" (H)	Strap Tension	2 to 70 lbs.
Cycle Rate	Up to 24 bundles per minute (single strap)	Transport Speed	49 to 196 feet per minute
Strap Width	5mm, 6mm, 9mm polypropylene strap	Electrical Requirements	220V, 380V, 415V 50/60Hz 3 Phase


PRESS MASTER PLUS

THE FULLY AUTOMATED VERTICAL STRAPPING MACHINE

Do you have high volumes of pallets of corrugated sheets and boxes to secure? Designed for fully automated production lines, the PRESS MASTER PLUS is the all-in-one solution for compressing, stabilizing, centering, and strapping corrugated.

It's a Greenbridge exclusive.

SUPER FAST!
Up To 200 Pallets
Per Hour*



EACH PRESS MASTER PLUS IS CUSTOM BUILT WITH YOUR CHOICE OF THESE OPTIONS:

- High speed drive package
- Energy recovering system
- Service function (hinged 90°)
- Closed lower strap tracks
- Pre-select pallet height
- Fully automatic strap loading system
- Fully automatic strap exchange system
- Fully automatic strap refeeding function (head)
- Pre-scanning end of strap
- Automatic safety lock system
- Top edge cornerboard applicator
- Bottom edge cornerboard applicator
- Lift + turn function (4 straps)
- Load centering
- Turn disk
- Centering device

SPECIFICATIONS

Compression Force	Up to 36.000 N
Power Supply Working Voltage	U3/PE, 380-415 V, AC 50 Hz
Control Voltage	24V, DC
Total Connection	6,5 kVA
Strapping Heads	SX600 Sonic Plus, TR 1400
Strap	PET, Polypropylene

AVAILABLE WITH THE SX600 ULTRASONIC HEAD

- Ultrasonic sealing
- Weighs just 44lbs.
- Easy to handle by one person
- Changeover in less than a minute



*Based on double straps, depending on pack sizes, conveyor speed + strapping head.